Solid State Ionics 69 (1994) 369,370
North-Holland

SOLID
STATE
IONICS

Author index

Akridge, J.R., see S.D. Jones 69 (1994) 357
Anderman, M., Lithium-polymer batteries for electrical vehicles: A realistic view 69 (1994) 336
Armand, M., The history of polymer electrolytes 69 (1994) 309
Austen Angell, C., J. Fan, C. Liu, Q. Lu, E. Sanchez and K. Xu, Li-conducting ionic rubbers for lithium battery and other applications 69 (1994) 343

Brandt, K., Historical development of secondary lithium batteries 69 (1994) 173

Cocciantelli, J.M., see C. Delmas 69 (1994) 257
Cognac-Auradou, H., see C. Delmas 69 (1994) 257

Dahn, J.R., E.W. Fuller, M. Obrovac and U. Von Sacken, Thermal stability of Li_xCoO_2, Li_xNiO_2 and λ-MnO_2 and consequences for the safety of Li-ion cells 69 (1994) 265
Dahn, J.R., see U.v. Sacken 69 (1994) 284
Delmas, C., H. Cognac-Auradou, J.M. Cocciantelli, M. Ménétrier and J.P. Doumerc, The $Li_xV_2O_5$ system: An overview of the structure modifications induced by the lithium intercalation 69 (1994) 257
Doumerc, J.P., see C. Delmas 69 (1994) 257

Ebner, W., D. Fouchard and L. Xie, The $LiNiO_2$/carbon lithium-ion battery 69 (1994) 238

Fan, J., see C. Austen Angell 69 (1994) 343
Fouchard, D., see W. Ebner 69 (1994) 238
Fuller, E.W., see J.R. Dahn 69 (1994) 265

Goodenough, J.B., Design considerations 69 (1994) 184
Guyomard, D. and J.M. Tarascon, The carbon/$Li_{1+x}Mn_2O_4$ system 69 (1994) 222
Guyomard, D., see J.M. Tarascon 69 (1994) 293

Iwakoshi, Y., see K. Sawai 69 (1994) 273

Jones, S.D., J.R. Akridge and F.K. Shokoohi, Thin film rechargeable Li batteries 69 (1994) 357

Koksbang, R., I.I. Olsen and D. Shackle, Review of hybrid polymer electrolytes and rechargeable lithium batteries 69 (1994) 320

Liu, C., see C. Austen Angell 69 (1994) 343
Lu, Q., see C. Austen Angell 69 (1994) 343

Ménétrier, M., see C. Delmas 69 (1994) 257

Nodwell, E., see U.v. Sacken 69 (1994) 284

Obrovac, M., see J.R. Dahn 69 (1994) 265
Ohzuku, T. and A. Ueda, Why transition metal (di)oxides are the most attractive materials for batteries 69 (1994) 201
Ohzuku, T., see K. Sawai 69 (1994) 273
Olsen, I.I., see R. Koksbang 69 (1994) 320
Ozawa, K., Lithium-ion rechargeable batteries with $LiCoO_2$ and carbon electrodes: the $LiCoO_2$/C system 69 (1994) 212

Sacken, U.v., E. Nodwell, A. Sundher and J.R. Dahn, Comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries 69 (1994) 284
Sanchez, E., see C. Austen Angell 69 (1994) 343
Sawai, K., Y. Iwakoshi and T. Ohzuku, Carbon materials for lithium-ion (shuttlecock) cells 69 (1994) 273
Shackle, D., see R. Koksbang 69 (1994) 320
Shokoohi, F.K., see S.D. Jones 69 (1994) 357
Sundher, A., see U.v. Sacken 69 (1994) 284

Tarascon, J.M., see D. Guyomard 69 (1994) 222
Tarascon, J.M. and D. Guyomard, New electrolyte compositions stable over the 0 to 5 V voltage range and compatible with the $Li_{1+x}Mn_2O_4$/carbon Li-ion cells 69 (1994) 293

Ueda, A., see T. Ohzuku 69 (1994) 201

Von Sacken, U., see J.R. Dahn 69 (1994) 265

Xie, L., see W. Ebner 69 (1994) 238
Xu, K., see C. Austen Angell 69 (1994) 343

Solid State Ionics 69 (1994) 371–374
North-Holland

SOLID
STATE
IONICS

Author index to volume 69

Akridge, J.R., see S.D. Jones 69 (1994) 357
Anderman, M., Lithium-polymer batteries for electrical vehicles: A realistic view 69 (1994) 336
Armand, M., The history of polymer electrolytes 69 (1994) 309
Austen Angell, C., J. Fan, C. Liu, Q. Lu, E. Sanchez and K. Xu, Li-conducting ionic rubbers for lithium battery and other applications 69 (1994) 343

Balsys, R.J. and R.L. Davis, The structure of $Li_{0.43}Na_{0.36}CoO_{1.96}$ using neutron powder diffraction 69 (1994) 69
Baranov, A.I., see B.V. Merinov 69 (1994) 153
Björkström, O., A. Fredriksson, B.-E. Mellander, J.E. Diosa and R.A. Vargas, Anomalous phase behavior of $(NH_4)HSO_4$ 69 (1994) 75
Brandt, K., Historical development of secondary lithium batteries 69 (1994) 173
Butchereit, E., M. Schreiber and J. Schoonman, Observations on the Na-β″-alumina/metal interface by impedance spectroscopy and scanning electron microscopy 69 (1994) 1

Cocciantelli, J.M., see C. Delmas 69 (1994) 257
Cognac-Auradou, H., see C. Delmas 69 (1994) 257
Cozzini, S., see G. Dalba 69 (1994) 13

Dahn, J.R., E.W. Fuller, M. Obrovac and U. Von Sacken, Thermal stability of Li_xCoO_2, Li_xNiO_2 and λ-MnO_2 and consequences for the safety of Li-ion cells 69 (1994) 265
Dahn, J.R., see U.v. Sacken 69 (1994) 284
Dalba, G., P. Fornasini, R. Gotter, S. Cozzini, M. Ronchetti and F. Rocca, Local structure and dynamics in AgI studied by EXAFS and molecular dynamics 69 (1994) 13
Davis, R.L., see R.J. Balsys 69 (1994) 69
De Kock, A., see R.J. Gummow 69 (1994) 59
Delmas, C., H. Cognac-Auradou, J.M. Cocciantelli, M. Ménétrier and J.P. Doumerc, The $Li_xV_2O_5$ system: An overview of the structure modifications induced by the lithium intercalation 69 (1994) 257
Diosa, J.E., see O. Björkström 69 (1994) 75
Doumerc, J.P., see C. Delmas 69 (1994) 257
Du, Y., see K.C. Liang 69 (1994) 117

Ebner, W., D. Fouchard and L. Xie, The $LiNiO_2$/carbon lithium-ion battery 69 (1994) 238

Fan, J., see C. Austen Angell 69 (1994) 343
Fee, M.G., see N.M. Sammes 69 (1994) 121
Fornasini, P., see G. Dalba 69 (1994) 13
Fouchard, D., see W. Ebner 69 (1994) 238
Fredriksson, A., see O. Björkström 69 (1994) 75
Fuller, E.W., see J.R. Dahn 69 (1994) 265

Galer, J.M. and M.J. Hudson, Electrically conducting poly(acrylonitrile) films 69 (1994) 21
Goodenough, J.B., Design considerations 69 (1994) 184
Gotter, R., see G. Dalba 69 (1994) 13
Greenblatt, M., see B. Wang 69 (1994) 85
Gummow, R.J., A. De Kock and M.M. Thackeray, Improved capacity retention in rechargeable 4 V lithium/lithium-manganese oxide (spinel) cells 69 (1994) 59
Gustafsson, J.C., B. Liedberg and O. Inganäs, In situ spectroscopic investigations of electrochromism and ion transport in a poly(3,4-ethylenedioxythiophene) electrode in a solid state electrochemical cell 69 (1994) 145
Gutleben, C.D., see H. Watanabe 69 (1994) 29
Guyomard, D. and J.M. Tarascon, The carbon/$Li_{1+x}Mn_2O_4$ system 69 (1994) 222
Guyomard, D., see J.M. Tarascon 69 (1994) 293

Hattori, T., see I. Kawaharada 69 (1994) 79
Holt, A. and P. Kofstad, Electrical conductivity and defect structure of Cr_2O_3. I. High temperatures ($> \sim 1000°C$) 69 (1994) 127
Holt, A. and P. Kofstad, Electrical conductivity and defect structure of Cr_2O_3. II. Reduced temperatures ($< \sim 1000°C$) 69 (1994) 137
Hudson, M.J., see J.M. Galer 69 (1994) 21

Inganäs, O., see J.C. Gustafsson 69 (1994) 145
Ishigame, M., see I. Kawaharada 69 (1994) 79
Iwaida, M., see S. Suda 69 (1994) 101
Iwakoshi, Y., see K. Sawai 69 (1994) 273

Janke, D., see S. Shashidhara Pandit 69 (1994) 93
Jones, D.J., see B.V. Merinov 69 (1994) 53
Jones, S.D., J.R. Akridge and F.K. Shokoohi, Thin film rechargeable Li batteries 69 (1994) 357

Kawaharada, I., T. Hattori, M. Ishigame and S. Shin, Quasielastic light scattering in $Na_{1-x}Ag_x$ β-aluminas 69 (1994) 79
Kofstad, P., see A. Holt 69 (1994) 127
Kofstad, P., see A. Holt 69 (1994) 137
Koksbang, R., I.I. Olsen and D. Shackle, Review of hybrid polymer electrolytes and rechargeable lithium batteries 69 (1994) 320
Kuo, C.K. and P.S. Nicholson, The ion-exchangeability of β″-Al_2O_3 single crystal films 69 (1994) 163

Liang, K.C., Y. Du and A.S. Nowick, Fast high-temperature proton transport in nonstoichiometric mixed perovskites 69 (1994) 117
Liedberg, B., see J.C. Gustafsson 69 (1994) 145
Liu, C., see C. Austen Angell 69 (1994) 343
Lu, Q., see C. Austen Angell 69 (1994) 343

Mellander, B.-E., see O. Björkström 69 (1994) 75
Ménétrier, M., see C. Delmas 69 (1994) 257
Merinov, B.V., D.J. Jones, J. Rozière and T. Mhiri, Structure of mixed alkali metal sulfate proton conductors: Dynamically disordered hydrogen bond network in $Cs_{1.5}Li_{1.5}H(SO_4)_2$ 69 (1994) 53

Merinov, B.V., A.I. Baranov, L.A. Shuvalov, J. Schneider and H. Schulz, Crystal structure and mechanism of proton transport in the hexagonal phase of $Cs_5H_3(SeO_4)_4 \cdot H_2O$ 69 (1994) 153
Mhiri, T., see B.V. Merinov 69 (1994) 53

Narasimha Chary, M., see Md. Shareefuddin 69 (1994) 37
Nicholson, P.S., see C.K. Kuo 69 (1994) 163
Nodwell, E., see U.v. Sacken 69 (1994) 284
Nowick, A.S., see K.C. Liang 69 (1994) 117

Obrovac, M., see J.R. Dahn 69 (1994) 265
Ohzuku, T. and A. Ueda, Why transition metal (di)oxides are the most attractive materials for batteries 69 (1994) 201
Ohzuku, T., see K. Sawai 69 (1994) 273
Olsen, I.I., see R. Koksbang 69 (1994) 320
Ozawa, K., Lithium-ion rechargeable batteries with $LiCoO_2$ and carbon electrodes: the $LiCoO_2$/C system 69 (1994) 212

Phillips, R.J., see N.M. Sammes 69 (1994) 121

Riess, I., Conditions for neglecting space charge effects on distributions of point defects and *I–V* relations 69 (1994) 43
Rocca, F., see G. Dalba 69 (1994) 13
Ronchetti, M., see G. Dalba 69 (1994) 13
Rozière, J., see B.V. Merinov 69 (1994) 53

Sacken, U.v., E. Nodwell, A. Sundher and J.R. Dahn, Comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries 69 (1994) 284
Sammes, N.M., R.J. Phillips and M.G. Fee, Phase stability and ionic conductivity in bismuth lead (antimony) oxide 69 (1994) 121
Sanchez, E., see C. Austen Angell 69 (1994) 343
Sawai, K., Y. Iwakoshi and T. Ohzuku, Carbon materials for lithium-ion (shuttlecock) cells 69 (1994) 273
Schneider, J., see B.V. Merinov 69 (1994) 153
Schoonman, J., see E. Butchereit 69 (1994) 1
Schreiber, M., see E. Butchereit 69 (1994) 1
Schulz, H., see B.V. Merinov 69 (1994) 153
Seto, J., see H. Watanabe 69 (1994) 29
Shackle, D., see R. Koksbang 69 (1994) 320
Shareefuddin, Md. and M. Narasimha Chary, Ac response of polycrystalline sodium yttrium fluoride 69 (1994) 37
Shashidhara Pandit, S., A. Weyl and D. Janke, High-temperature ionic and electronic conduction in zirconate and hafnate compounds 69 (1994) 93
Shin, S., see I. Kawaharada 69 (1994) 79
Shokoohi, F.K., see S.D. Jones 69 (1994) 357
Shuvalov, L.A., see B.V. Merinov 69 (1994) 153
Suda, S., M. Iwaida, K. Yamashita and T. Umegaki, Synthesis of Na^+ superionic conductors of sodium yttrium silicophosphates by a sol–gel method 69 (1994) 101
Sundher, A., see U.v. Sacken 69 (1994) 284

Tarascon, J.M., see D. Guyomard 69 (1994) 222
Tarascon, J.M. and D. Guyomard, New electrolyte compositions stable over the 0 to 5 V voltage range and compatible with the $Li_{1+x}Mn_2O_4$/carbon Li-ion cells 69 (1994) 293
Thackeray, M.M., see R.J. Gummow 69 (1994) 59

Ueda, A., see T. Ohzuku 69 (1994) 201
Umegaki, T., see S. Suda 69 (1994) 101

Vargas, R.A., see O. Björkström 69 (1994) 75
Von Sacken, U., see J.R. Dahn 69 (1994) 265

Wagner, Jr., J.B., see K.S. Yoo 69 (1994) 107
Wang, B., M. Greenblatt and J. Yan, Ionic conductivities of crystalline and glassy $Na_4NbP_3O_{12}$ and crystalline $Na_6Nb_2P_6O_{23}$ 69 (1994) 85
Watanabe, H., C.D. Gutleben and J. Seto, Sulfate ions on the surface of maghemite and hematite 69 (1994) 29
Weyl, A., see S. Shashidhara Pandit 69 (1994) 93

Xie, L., see W. Ebner 69 (1994) 238
Xu, K., see C. Austen Angell 69 (1994) 343

Yamashita, K., see S. Suda 69 (1994) 101
Yan, J., see B. Wang 69 (1994) 85
Yoo, K.S. and J.B. Wagner, Jr., Electrical transport and impedance spectra in NiO–Pd composites 69 (1994) 107

Solid State Ionics 69 (1994) 375
North-Holland

SOLID
STATE
IONICS

Subject index

Battery, 222

Carbon anode, 238, 284
Carbon fiber, 273

Electrochemical cell, 184
Electrochemistry, 201
Electrolyte, 293
EV battery, 336

Gel electrolyte, 309
Glassy electrolyte, 357
Graphite, 222, 273

High conductivity, 343
Hybrid polymer electrolyte, 320

Insertion, 293
Insertion compounds, 184
Insertion materials, 201
Intercalation, 273
Ionic conductivity, 309
  lithium, 343
Ionic rubber, 343

Lithiated spinel, 222
Lithium anode, 284
Lithium battery, 184, 201, 265, 357
Lithium carbon anode, 173
Lithium conductor, 343
Lithium electrolyte, 184
Lithium intercalation, 257
Lithium-ion battery, 173, 201, 222, 238
  rechargeable, 212, 273, 320
Lithium-ion cell, 273, 293
Lithium-metal anodes, 173, 284
Lithium-polymer electrolyte battery, 336
Lithium transition metal oxide, 265
$Li_xV_2O_5$ system, 257

Manganese, 222
Microbattery, 357
Molten salts, 343

Non-graphitizable carbon, 212

PC+DEC/$LiPF_6$, 212
Polymer electrolytes, 309

Rechargeable lithium battery, 212, 273, 320

Safety, 265, 284
Salt–polymer complexes, 309
Secondary lithium battery, 173
Solid electrolyte, 343
Solid electrolyte interface, 212
Solid state electrochemistry, 201
Structure, 257

Thermal stability, 265, 284
Thin film, 357
Transition metal oxide, 201

Solid State Ionics 69 (1994) 376,377
North-Holland

SOLID
STATE
IONICS

Subject index to volume 69

Aldol reaction, 29
Alkoxide, 101
Anharmonicity, 13

β″-alumina
  sodium, 1, 163
β-alumina
  mixed cation, 79
Battery, 222
Bismuth lead oxide, 121
Blocking electrodes, 1

Carbon anode, 238, 284
Carbon fiber, 273
Catalysis, 29
Cathode, 69
Cation ordering, 69
Ceramic/electrode interfaces, 1
Cesium selenate, 153
Chromium sesquioxide, 127, 137
Cobalt oxide, 69
Conducting films, 21
Conduction mechanism, 79
Copper sulphide, 21
Correlation of thermal displacements, 13
Crystal structure, 53

Defect structure, 127, 137
Diffusion, 127, 137

EDAX, 163
Electrical transport, 107
Electrochemical cell, 184
Electrochemistry, 201
Electrochromism, 145
Electrolyte, 293
Electronic conductivity, 21, 93, 127, 137
EV battery, 336
EXAFS, 13

Fast ion conductor, 53
Films, 163

Gel electrolyte, 309
Glass, 85
Glassy electrolyte, 357
Graphite, 222 273

Hafnate compounds, 93
Heat capacity, 75
Hematite, 29
High conductivity, 343
Hybrid polymer electrolyte, 320
Hydrogen bond, 53, 153
Hydrogen transport, 117

Impedance spectroscopy, 107
  sample preparation, 1
Insertion, 293
Insertion compounds, 184
Insertion materials, 201
Intercalation, 273
Ion-exchange, 163
Ionic conductivity, 21, 93, 309
  lithium, 343
  oxide, 121
  proton, 53, 153
  sodium, 85
Ionic rubber, 343

Lithiated spinel, 222
Lithium anode, 284
Lithium battery, 59, 184, 201, 265, 357,
Lithium carbon anode, 173
Lithium conductor, 343
Lithium electrolyte, 184
Lithium intercalation, 257
Lithium-ion battery, 173, 201, 222, 238,
  rechargeable, 212, 273, 320
Lithium-ion cell, 273, 293
Lithium-metal anodes, 173, 284
Lithium-polymer electrolyte battery, 336
Lithium transition metal oxide, 265
$Li_xV_2O_5$ system, 257
Local neutrality, 43

Maghemite, 29
Manganese, 222
Manganese oxide, 59
Metal hydrogen sulfate, 53
Metal–metal oxide composites, 107
Microbattery, 357
Mixed perovskites, 117
Moisture influence, 1
Molecular dynamics, 13
Molten salts, 343

Neutron diffraction, 69
Nickel oxide, 107
Non-graphitizable carbon, 212

Oxide ion conductor, 121
Oxygen sensors, 93

PC+DEC/$LiPF_6$, 212
Pendant amines, 21
Phase transition, 75, 153
Point defects, 43
Poisson equation, 43
Poly(3,4-ethylenedioxythiophene) (PEDOT), 145
Poly(acrylonitrile), 21
Polycrystalline sodium yttrium fluoride, 37
Polymer electrolytes, 309
Proton behaviour, 75
Proton conductor, 53, 117
Protons, 127, 137

Quasielastic light scattering, 79

Rechargeable lithium battery, 212, 273, 320

Safety, 265, 284
Salt–polymer complexes, 309
Secondary lithium battery, 173
Silver iodiode, 13
Sodium niobium phosphate, 85
Sodium yttrium silicophosphate, 101
Sol–gel, 101
Solid electrolyte, 93, 343
Solid electrolyte interface, 212
Solid state electrochemistry, 201
Space charges, 43
Spinel, 59
Structure, 257
Sulfate ion, 29
Superionic conductivity, 79, 101

Thermal stability, 265, 284
Thin film, 357
Transition metal oxide, 201

Zirconate compounds, 93